

Serial No.: 09/597,192  
Filed: June 20, 2000

On page 8, line 11 replace "link." with --link; and-- ; and

On page 8, line 12 insert the following sub-paragraph:

--Figure 8 shows a functional block diagram of an adapter configured to transmit and receive differential signals.--

#### IN THE DRAWINGS:

Commensurate with the amendments to the specification, Applicants concurrently herewith submit one (1) sheet of FORMAL Drawings (Figure 8) for the Examiner's approval. The omission of Figure 8 was an oversight and no deception was intended in not submitting Figure 8 with the original patent application. Figure 8 was fully described in the specification. Accordingly, this drawing amendment does not add new matter.


Applicants refer to the detailed description appearing between sheet 17, line 9 and sheet 18, line 4 of the specification. Included in this section is a detailed description of the preferred embodiment as depicted in the omitted Figure 8. Applicants also wish to draw Examiner's attention to related applications, Serial No. 09/596,980 and Serial No. 09/597,190. Both applications were filed on the same day as the present application and are technically related to the same subject matter. In the former application, a substantially identical description appears between sheet 17, line 9 and sheet 18, line 4 of the specification. In the latter application, a substantially identical description appears between lines 1 and 19 of sheet 18 of the specification. The same Figure 8 included herein was submitted as part of the original Formal Drawing package for both of those applications. Applicants contend therefore, that the same Figure 8 should be

Serial No.: 09/597,192  
Filed: June 20, 2000

included with the formal drawings for the present application. Applicants further reiterate that Figure 8 does not add new matter and was not intentionally omitted from the original application.


Consideration of the application, approval of the proposed drawing amendment, and entry thereof are requested.

Respectfully submitted,



Jonathan M. Harris  
PTO Reg. No. 44,144  
CONLEY, ROSE & TAYON  
P.O. Box 3267  
Houston, TX 77253-3267  
(713) 238-8000 (Phone)  
(713) 238-8008 (Fax)

ATTORNEY FOR APPLICANTS



**FIG. 8**

